

# Town of Sangerville

1 Town Hall Ave.  
PO Box 188  
Sangerville, ME. 04479


## Culvert Policy

Revised April 28, 2015


1. All new driveway or entrances onto town maintained roads require a permit from the Town of Sangerville and approved by the Road Commissioner or Selectboard.
2. The culverts for all new entrances shall be supplied by the applicant. Only culverts made of materials approved by the Road Commissioner will be acceptable.
3. All new culverts will be installed by the property owner or a contractor at their own expense and based on good engineering practices. All such work shall be reviewed and approved by the Road Commissioner or Selectboard.
4. New or replacement culverts shall be a minimum of 20 feet in length. The diameter of the culverts will be approved by the Road Commissioner prior to installation. Diameter will be based on depth available, amount of water shed in the area and should be as large as possible.
5. All replacement culverts shall not be less in length or diameter than the original culvert unless approved by the Road Commissioner. All future replacement of the culverts will be the responsibility of the town unless the property owner wants to replace the culverts for their convenience, then the property owner will be responsible for the cost and reinstallation of the culvert, to be then inspected and approved by the Road Commissioner.



William Rowe



Melissa Randall



Thomas Carone

# Town of Sangerville

1 Town Hall Ave.  
PO Box 188  
Sangerville, ME. 04479

## Culvert Permit

Property Owner \_\_\_\_\_

Tax Map # \_\_\_\_\_ Lot # \_\_\_\_\_

Road Location \_\_\_\_\_

Culvert Diameter \_\_\_\_\_ Culvert Length \_\_\_\_\_

Reviewed By \_\_\_\_\_

Date Reviewed \_\_\_\_\_

Property Owner Signature \_\_\_\_\_

Comments:

Installation Inspected and Approved By \_\_\_\_\_

Date Inspected \_\_\_\_\_